






Sawing




Solid Wood




Boards




Plastic






Aluminium



Saw blade for Portable Machines




MWO - Trimming & Sizing Saw Blade






øD	Teeth	Code No.	B	c	n	m/min	ød
220	60	901 40 40 6	3.0	2.0	4300-6900	44-70	30
250	72	901 40 60 6	3.2	2.4	3800-6100	47-75	30

⚠ Meant for over-arm machine.



MWTN - Trimming & Sizing Saw Blade




øD	Teeth	Code No.	B	c	a	n	m/min	ød
200	48	903 00 70 6	3.0	2.2	25°	6600-9000	16-22	30
	64	903 02 60 6	3.0	2.2	25°	6600-9000	21-29	30
250	80	903 02 70 6	3.4	2.6	25°	5300-7600	21-30	30
	96	903 02 81 6	3.0	2.2	35°	4400-6300	21-30	30
300	96	903 02 80 6	3.4	2.6	25°	4400-6300	21-30	30
	102	903 02 85 6	3.4	2.6	25°	4000-5700	20-29	30
350	108	903 02 90 6	3.4	2.6	25°	3800-5400	21-29	30
400	120	903 03 00 6	4.0	3.2	25°	3300-4500	20-27	30


Manufacturing Technology:




Sawing




Solid Wood




Boards




Plastic






Aluminium



Saw blade for Portable Machines



MS - Trimming & Sizing Saw Blade



øD	Teeth	Code No.	B	c	n	m/min	ød
150	30	901 04 66 6	3.0	2.0	8900-12000	13-19	30
	48	901 06 06 6	3.0	2.0	8900-12000	21-29	30
180	42	901 04 68 6	3.0	2.0	7400-10000	16-21	30
	58	901 06 07 6	3.0	2.0	7400-10000	21-29	30
200	48	901 04 70 6	3.0	2.0	6600-9000	16-22	30
	64	901 06 08 6	3.0	2.0	6600-9000	21-29	30
220	34	901 02 48 6	3.0	2.0	6000-8600	10-15	30
	48	901 04 72 6	3.0	2.0	6000-8600	14-21	30
	64	901 06 12 6	3.0	2.0	6000-8600	19-28	30
250	40	901 04 75 6	3.2	2.2	5300-7600	11-15	30
	60	901 04 80 6	3.2	2.2	5300-7600	16-23	30
	80	901 06 10 6 *	3.2	2.2	5300-7600	21-30	30
300	48	901 02 73 6	3.2	2.2	4400-6300	11-15	30
	60	901 04 85 6	3.2	2.2	4400-6300	13-19	30
	72	901 04 90 6 *	3.2	2.2	4400-6300	16-23	30
	96	901 06 20 6 *	3.2	2.2	4400-6300	21-30	30
350	54	901 02 85 6	3.5	2.5	3800-5400	10-15	30
	72	901 04 95 6	3.5	2.5	3800-5400	14-19	30
	84	901 05 00 6 *	3.5	2.5	3800-5400	16-23	30
	108	901 06 30 6 *	3.5	2.5	3800-5400	21-29	30
400	60	901 02 95 6	3.5	2.5	3300-4500	10-14	30
	96	901 05 10 6 *	3.5	2.5	3300-4500	16-22	30
	120	901 06 40 6 *	3.5	2.5	3300-4500	20-27	30
450	66	901 02 98 6	4.0	2.8	2900-4000	10-13	30
	108	901 05 15 6 *	4.0	2.8	2900-4000	16-22	30
	132	901 06 41 6 *	4.0	2.8	2900-4000	19-26	30
500	72	901 03 25 6 *	4.4	3.0	2600-3800	9-13	30
	120	901 05 17 6 *	4.4	3.0	2600-3800	16-21	30


Manufacturing Technology:




Dynamic Straightness *




Sawing



Solid Wood




Boards




Plastic






Aluminium



Saw blade for Portable Machines



DS - Trimming & Sizing Extended Life Saw Blades



øD	Teeth	Code No.	B	c	n	m/min	ød
220	64	950 06 12 6	3.0	2.0	6000-8600	19-28	30
250	60	950 04 80 6	3.2	2.2	5300-7600	16-23	30
	80	950 06 10 6	3.2	2.2	5300-7600	21-30	30
300	72	950 04 90 6	3.2	2.2	4400-6300	16-23	30
	96	950 06 20 6	3.2	2.2	4400-6300	21-30	30
350	72	950 04 95 6	3.5	2.5	3800-5400	14-19	30
	84	950 05 00 6	3.5	2.5	3800-5400	16-23	30
	108	950 06 30 6	3.5	2.5	3800-5400	21-29	30


Manufacturing Technology:






Dynamic Balancing



Dynamic Straightness



MSD - Trimming & Sizing Thin Kerf Saw Blade



øD	Teeth	Code No.	B	c	a	n	m/min	ød
150	48	901 31 35 6	2.3	1.6	10°	8900-12000	21-29	30
180	58	901 31 45 6	2.3	1.6	10°	7400-10000	21-29	30
200	64	901 31 55 6	2.3	1.6	10°	6600-9000	21-29	30
250	80	901 31 75 6	2.3	1.6	10°	5300-7600	21-30	30
	100	901 31 77 6	2.3	1.6	5°	5300-7600	27-38	30
300	96	901 31 85 6	2.3	1.6	10°	4400-6300	21-30	30
350	108	901 31 95 6	2.3	1.6	10°	3800-5400	21-29	30
380	100	901 31 97 6	2.7	2.0	10°	3500-5000	18-25	30


⚠ Use a flange whose diameter is half the diameter of the saw blade.

Manufacturing Technology:




Dynamic Straightness


Sawing




Solid Wood




Boards




Plastic






Aluminium



Saw blade for Portable Machines



MSQ - Trimming & Sizing Quiet Saw Blade




øD	Teeth	Code No.	B	c	n	m/min	ød
250	60	940 04 80 6	3.2	2.2	5300-7600	16-23	30
	80	940 06 10 6	3.0	2.2	5300-7600	21-30	30
300	70	940 04 90 6	3.2	2.2	4400-6300	15-22	30
	100	940 06 20 6	3.2	2.2	4400-6300	22-32	30




Manufacturing Technology:



Dynamic Straightness



MSO - Trimming & Sizing Saw Blade



øD	Teeth	Code No.	B	c	n	m/min	ød
250	72	901 41 65 6	3.2	2.4	5300-7600	19-27	30
300	84	901 41 75 6	3.2	2.4	4400-6300	18-26	30
350	96	901 41 85 6	3.3	2.5	3800-5400	18-26	30
400	108	901 41 95 6	3.3	2.5	3300-4500	18-24	30

⚠ Meant for over- arm machine.


Manufacturing Technology:




Dynamic Straightness




Sawing




Solid Wood




Boards




Plastic






Aluminium



Saw blade for
Portable
Machines



MX - Trimming & Sizing Saw Blade




øD	Teeth	Code No.	B	c	n	m/min	ød
300	96	901 05 85 6	3.2	2.2	4400-6300	21-30	30
350	108	901 05 95 6	3.5	2.5	3800-5400	21-29	30




Manufacturing Technology:



Dynamic
Straightness



DX - Trimming & Sizing Extended Life Saw Blades



øD	Teeth	Code No.	B	c	n	m/min	ød
300	96	950 05 85 6	3.2	2.2	4400-6300	21-30	30

Manufacturing Technology:




Dynamic
Balancing



Dynamic
Straightness


Sawing




Solid Wood




Boards




Plastic






Aluminium



Saw blade for Portable Machines



MD - Trimming & Sizing Saw Blade



øD	Teeth	Code No.	B	c	n	m/min	ød
180	36	901 10 40 6	3.2	2.2	7400-10000	13-18	30
200	40	901 10 50 6	3.2	2.2	6600-9000	13-18	30
220	42	901 10 60 6	3.2	2.2	6000-8600	13-18	30
230	42	901 10 70 6	3.2	2.2	5800-8300	12-17	30
253	48	901 10 10 6	3.2	2.2	5200-7500	12-18	30
303	60	901 10 25 6	3.3	2.4	4400-6300	13-19	30
350	72	901 10 30 6	3.2	2.2	3800-5400	14-19	30


Manufacturing Technology:






Dynamic Balancing



Dynamic Straightness Above 250 Diameter



MDN - Trimming & Sizing Saw Blade



øD	Teeth	Code No.	B	c	n	m/min	ød
220	42	901 10 65 6	3.2	2.2	6000-8600	13-18	30
253	48	901 10 13 6	3.2	2.2	5200-7500	12-18	30
303	60	901 10 85 6	3.2	2.2	4400-6300	13-19	30

Manufacturing Technology:



Dynamic Balancing



Dynamic Straightness

Index

Sawing

CNC

Cutting

Drilling

Routing

Custom Tooling